



Identification	Type Part-No.	LOCC-Box-VKL 7-6448 716448
Description	24 V - Distribution terminal Single-channel design maximum total current 10 A	
General	Housing material PA 6.6 (UL 94 V-0, NFF I2, F2) Mounting DIN rail mountable TS35 (EN 60715) Protection class IP20 Installation position any Operation temperature range -25 °C ... +60 °C Storage temperature range -40 °C ... +85 °C Weight 0.7000 kg/piece Dimensions (w × h × d) 8.1 × 114.5 × 116.0 mm PU 1 Approvals CE	

25.08.2017 – Subject to technical modification

Part-No. 716448

USA: LUTZE INC.

13330 South Ridge Drive · Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 · Fax +1 (704) 504-0223
www.lutze.com · info@lutze.com

United Kingdom: LÜTZE Ltd.


Unit 3, Sandy Hill Park
Sandy Way, Amington · GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 · Fax +44 (0)1827 31333-2
www.lutze.com · sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY

Technical data sheet · Load monitoring

Dimensions



PIN assignment



25.08.2017 – Subject to technical modification

Part-No. 716448

USA: LUTZE INC.

13330 South Ridge Drive · Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 · Fax +1 (704) 504-0223
www.lutze.com · info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington · GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 · Fax +44 (0)1827 31333-2
www.lutze.com · sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY