

Bussmann series DEO Offset bolted tags fuse links



Product description

Eaton's Bussmann series range of British Standard fuse links is specifically designed for the protection of general industrial applications e.g. power distribution, cable protection, motor protection.

Standard features

- Good peak let-through current limitation
- 1:1:6 Selective coordination ratio between "minor" and "major" fuse
- Suitable for motor protection if gM type selected
- Power loss values well within the limits of IEC 60269

Catalogue symbol:

- DEO (Amps)

Technical data:

- Rated voltage: 415 V a.c.
- Rated current: 125 to 200 A
- Breaking capacity: 80kA
- Class of operation: gG and gM

Standards/approvals:

- BS88
- IEC 60269
- Suitable for use in RoHS compliant applications


Packaging:

- MOQ 5

Table 1. Technical data


Part number	Rated voltage	Rated current (Amps)	Energy integrals I ² t (A ² S)		Watts loss	Weight
			Pre-arcing	Total at 415V	W	
DEO125	415 V a.c.	125	29,500	71,000	11	138g
DEO160	415 V a.c.	160	57,000	135,000	13	138g
DEO200	415 V a.c.	200	120,000	290,000	14	138g
DEO200M315	415 V a.c.	200M315	265,000	635,000	9	145g

Dimensions - mm




Catalogue numbers	A	B	C	D	E	F	G	H
DEO125-200 and DEO200M315	110	94	47	19	10	9	29,5	31

Time current curve - DEO125 to DEO200



Time current curve - DEO200M315



Changes to the products, to the information contained in this document, and to prices are reserved; so are errors and omissions. Only order confirmations and technical documentation by Eaton is binding. Photos and pictures also do not warrant a specific layout or functionality. Their use in whatever form is subject to prior approval by Eaton. The same applies to Trademarks (especially Eaton, Moeller, and Cutler-Hammer). The Terms and Conditions of Eaton apply, as referenced on Eaton Internet pages and Eaton order confirmations.

Eaton
EMEA Headquarters
Route de la Longeraie 7
1110 Morges, Switzerland
Eaton.eu

© 2015 Eaton
All Rights Reserved
Publication No. 4117
August 2015