

Bussmann series SSD BS88 Offset blade tags



Product description

Eaton's Bussmann series range of British Standard fuse links size E1 is specifically designed for the protection of street lighting applications.

Standard features

- Good peak let-through current limitation
- 1:1:6 Selective coordination ratio between "minor" and "major" fuse
- Power loss values well within the limits of IEC 60269

Catalogue symbol:

- SSD(Amps)

Technical data:

- Rated voltage: 240 V a.c.
- Rated current: 2 to 32 A
- Breaking capacity: 33 kA
- Class of operation: gG
- Size: E1

Standards/Approvals:

- BS88
- IEC 60269
- Suitable for use in RoHS compliant applications

Fuse holders (ordered separately)

- SC20H


Packaging:

- MOQ 20


Table 1. Technical data

Part number	Rated voltage	Rated Current (Amps)	Energy integrals I ² t (A ² S)		Watts loss	Dimensions (mm)						Product Class	Weight
			Pre-arcing	Total at 415 V		W	A	B	D	E	F		
SSD2	240V a.c.	2	0.8	1	0.5	23	12	47	12.7	0.8	3.2	gG	10g
SSD4	240 V a.c.	4	5.5	8	1	23	12	47	12.7	0.8	3.2	gG	10g
SSD6	240 V a.c.	6	15	22	1.6	23	12	47	12.7	0.8	3.2	gG	10g
SSD10	240 V a.c.	10	28	42	1.2	23	12	47	12.7	0.8	3.2	gG	10g
SSD16	240 V a.c.	16	160	250	1.5	23	12	47	12.7	0.8	3.2	gG	10g
SSD20	240 V a.c.	20	290	450	1.7	23	12	47	12.7	0.8	3.2	gG	10g
SSD25	240 V a.c.	25	800	1300	1.8	23	12	47	12.7	0.8	3.2	gG	10g
SSD32	240 V a.c.	32	1600	2500	2.4	23	12	47	12.7	0.8	3.2	gG	10g

Outline drawing



Time current curve



Changes to the products, to the information contained in this document, and to prices are reserved; so are errors and omissions. Only order confirmations and technical documentation by Eaton is binding. Photos and pictures also do not warrant a specific layout or functionality. Their use in whatever form is subject to prior approval by Eaton. The same applies to Trademarks (especially Eaton, Moeller, and Cutler-Hammer). The Terms and Conditions of Eaton apply, as referenced on Eaton Internet pages and Eaton order confirmations.

Eaton
 EMEA Headquarters
 Route de la Longeraie 7
 1110 Morges, Switzerland
 Eaton.eu

© 2015 Eaton
 All Rights Reserved
 Publication No. 4105
 June 2015