


1 2 3 4 5 6 7 8

DESIGN UNITS: METRIC (mm)
UNLESS OTHERWISE SPECIFIED [INCHES]



THIRD ANGLE PROJECTION

Class R Fuseblocks Catalog Data

Catalog Number	Covers		Voltage	Current	Number of Poles	Label
	Class R	w/o Indication				
RM25100-1CR	CVR-RH-25100	CVRI-RH-25100	250	100	1	RM25100-1CR
RM25100-2CR					2	RM25100-2CR
RM25100-3CR					3	RM25100-3CR
RM25200-1CR	CVR-RH-25200	CVRI-RH-25200		200	1	RM25200-1CR
RM25200-2CR					2	RM25200-2CR
RM25200-3CR					3	RM25200-3CR
RM25400-1CR	CVR-RH-25400	CVRI-RH-25400		400	1	RM25400-1CR
RM25400-2CR					2	RM25400-2CR
RM25400-3CR					3	RM25400-3CR
RM25600-1CR	CVR-RH-25600	CVRI-RH-25600		600	1	RM25600-1CR
RM25600-2CR					2	RM25600-2CR
RM25600-3CR					3	RM25600-3CR


Catalog Number	Covers		Voltage	Current	Number of Poles	Label
	Class R	w/o Indication				
RM60100-1CR	CVR-RH-60100	CVRI-RH-60100	600	100	1	RM60100-1CR
RM60100-2CR					2	RM60100-2CR
RM60100-3CR					3	RM60100-3CR
RM60200-1CR	CVR-RH-60200	CVRI-RH-60200		200	1	RM60200-1CR
RM60200-2CR					2	RM60200-2CR
RM60200-3CR					3	RM60200-3CR
RM60400-1CR	CVR-RH-60400	CVRI-RH-60400		400	1	RM60400-1CR
RM60400-2CR					2	RM60400-2CR
RM60400-3CR					3	RM60400-3CR
RM60600-1CR	CVR-RH-60600	CVRI-RH-60600		600	1	RM60600-1CR
RM60600-2CR					2	RM60600-2CR
RM60600-3CR					3	RM60600-3CR

COOPER Bussmann
St. Louis MO 63178



TITLE:
Class R fuse holder-CUST

SCALE: 1:1 SIZE: A3 SHEET: 1 OF 14

1 2 3 4 5 6 7 8





PUSH DOWN



LIFT UP

LIFT UP, THEN
ROTATE OVER



COOPER Bussmann
St. Louis MO 63178


TITLE:
Class R fuse holder-CUST

SCALE: 1:2 SIZE: A3 SHEET: 2 OF 14


www.Bussmann.com

REVISIONS			DATE	ECN	BY
REV	ZONE	DESCRIPTION			





RM25100-1CR



RM25100-1CR WITH CVR-RH-25100 INSTALLED




RM25100-1CR WITH CVRI-RH-25100 INSTALLED






COOPER Bussmann
RM 25100-1CR
 250V-100A
 USE CLASS R FUSE
 WITHSTAND RATING
 200K RMS SYM AMPS
 90C/75C WIRE
 TORQUE: CU/AL
 10-3 AWG=5.6 NM/40 LB.IN
 4-9 AWG=5.1 NM/45 LB.IN
 8 AWG=4.5 NM/40 LB.IN
 10-14 AWG=4.0 NM/35 LB.IN
 ASSEMBLED IN MEXICO T06

CVR-RH-25100



CVRI-RH-25100




COOPER Bussmann
 St. Louis MO 63178


TITLE:
Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 3 OF 14







RM25100-2CR



**RM25100-2CR
 WITH CVR-RH-25100 INSTALLED**



**RM25100-2CR
 WITH CVRI-RH-25100 INSTALLED**



COOPER Bussmann
 St. Louis MO 63178

TITLE:


Class R fuse holder-CUST-250V

SCALE:
 1:1

SIZE:
 A3


SHEET:
 4 OF 14

DESIGN UNITS: METRIC (mm)
 UNLESS OTHERWISE SPECIFIED [INCHES]




THIRD ANGLE PROJECTION







RM25100-3CR



**RM25100-3CR
 WITH CVR-RH-25100 INSTALLED**



**RM25100-3CR
 WITH CVRI-RH-25100 INSTALLED**



COOPER Bussmann
 St. Louis MO 63178


Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 5 OF 14


DESIGN UNITS: METRIC (mm)
UNLESS OTHERWISE SPECIFIED
[INCHES]

THIRD ANGLE PROJECTION




RM25200-1CR



RM25200-1CR
WITH CVR-RH-25200 INSTALLED



RM25200-1CR
WITH CVRI-RH-25200 INSTALLED




COOPER Bussmann
RM 25200-1CR




250V-200A
USE CLASS R FUSE
WITHSTAND RATING
200K RMS SYM AMPS
90C/75C WIRE
TORQUE: CU/AL
260 MCM-1 AWG=42 NM/375 LB.IN
2-6 AWG=31 NM/275 LB.IN
ASSEMBLED IN MEXICO, T06

UL LISTED 430P

CVR-RH-25200



CVRI-RH-25200



COOPER Bussmann
St. Louis MO 63178

TITLE:
Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 6 OF 14









DESIGN UNITS: METRIC (mm)
UNLESS OTHERWISE SPECIFIED [INCHES]

THIRD ANGLE PROJECTION

RM25200-2CR

**RM25200-2CR
WITH CVR-RH-25200 INSTALLED**

**RM25200-2CR
WITH CVRI-RH-25200 INSTALLED**



COOPER Bussmann
St. Louis MO 63178

TITLE:
Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 7 OF 14








DESIGN UNITS: METRIC (mm)
 UNLESS OTHERWISE SPECIFIED
 [INCHES]

THIRD ANGLE PROJECTION

RM25200-3CR

**RM25200-3CR
 WITH CVR-RH-25200 INSTALLED**

**RM25200-3CR
 WITH CVRI-RH-25200 INSTALLED**




COOPER Bussmann
 St. Louis MO 63178


TITLE:
Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 8 OF 14





RM25400-1CR




RM25400-1CR WITH CVR-RH-25400 INSTALLED





RM25400-1CR WITH CVRI-RH-25400 INSTALLED




CVR-RH-25400



CVRI-RH-25400



CUT OPEN ALONG THIS DOTTED LINE FOR WIRES ABOVE 250 KCMIL



COOPER Bussmann
 St. Louis MO 63178


Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 9 OF 14


DESIGN UNITS: METRIC (mm)
 UNLESS OTHERWISE SPECIFIED [INCHES]

THIRD ANGLE PROJECTION






RM25400-2CR



**RM25400-2CR
 WITH CVR-RH-25400 INSTALLED**



**RM25400-2CR
 WITH CVRI-RH-25400 INSTALLED**




COOPER Bussmann
 St. Louis MO 63178

TITLE:
Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 10 OF 14

DESIGN UNITS: METRIC (mm)
 UNLESS OTHERWISE SPECIFIED [INCHES]











THIRD ANGLE PROJECTION

RM25400-3CR

RM25400-3CR
 WITH CVR-RH-25400 INSTALLED

RM25400-3CR
 WITH CVRI-RH-25400 INSTALLED




COOPER Bussmann
 St. Louis MO 63178

TITLE:
Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 11 OF 14




RM25600-1CR



RM25600-1CR WITH CVR-RH-25600 INSTALLED





RM25600-1CR WITH CVRI-RH-25600 INSTALLED



CVR-RH-25600



CVRI-RH-25600



COOPER Bussmann
RM 25600-1CR
 250V-600A
 USE CLASS R FUSE
 WITHSTAND RATING 20K RMS SYMM 2MP

WIRE SIZE	1017 0R/0AL	AL 11102.4
250 KCMIL	1217 0R/0AL	1217 0R/0AL
DUAL 150 A/250 A	1217 0R/0AL	1217 0R/0AL
100 TO 150 A	1217 0R/0AL	1217 0R/0AL

UL LISTED 430P SA ASSEMBLED IN MEXICO T06




CUT OPEN ALONG THIS DOTTED LINE FOR WIRES ABOVE 250 KCMIL

COOPER Bussmann
 St. Louis MO 63178

Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 12 OF 14

DESIGN UNITS: METRIC (mm)
UNLESS OTHERWISE SPECIFIED [INCHES]











THIRD ANGLE PROJECTION

RM25600-2CR

**RM25600-2CR
WITH CVR-RH-25600 INSTALLED**

**RM25600-2CR
WITH CVRI-RH-25600 INSTALLED**



COOPER Bussmann
St. Louis MO 63178


TITLE: **Class R fuse holder-CUST-250V**

SCALE: 1:1 SIZE: A3 SHEET: 13 OF 14

www.Bussmann.com


Drawing template A3 - Rev 05

DESIGN UNITS: METRIC (mm)
UNLESS OTHERWISE SPECIFIED [INCHES]




THIRD ANGLE PROJECTION






RM25600-3CR



RM25600-3CR WITH CVR-RH-25600 INSTALLED



RM25600-3CR WITH CVRI-RH-25600 INSTALLED



COOPER Bussmann
St. Louis MO 63178

TITLE:
Class R fuse holder-CUST-250V

SCALE: 1:1 SIZE: A3 SHEET: 14 OF 14

www.Bussmann.com







Drawing template A3 - Rev 05

REVISIONS				DATE	ECN	BY
REV	ZONE	DESCRIPTION				

RM60100-1CR





RM60100-1CR WITH CVR-RH-60100 INSTALLED

RM60100-1CR WITH CVRI-RH-60100 INSTALLED



CVR-RH-60100

CVRI-RH-60100



COOPER Bussmann
 St. Louis MO 63178

TITLE: **Class R fuse holder-CUST-600V**









SCALE: 1:1 SIZE: A3 SHEET: 1 OF 12

REVISIONS			DATE	ECN	BY
REV	ZONE	DESCRIPTION			

RM60100-2CR

**RM60100-2CR
WITH CVR-RH-60100 INSTALLED**

**RM60100-2CR
WITH CVRI-RH-60100 INSTALLED**



COOPER Bussmann
St. Louis MO 63178









TITLE:
Class R fuse holder-CUST-600V

SCALE: 1:1 SIZE: A3 SHEET: 2 OF 12

RM60100-3CR

**RM60100-3CR
WITH CVR-RH-60100 INSTALLED**

**RM60100-3CR
WITH CVRI-RH-60100 INSTALLED**



COOPER Bussmann
St. Louis MO 63178

TITLE:
Class R fuse holder-CUST-600V



SCALE: 1:1 SIZE: A3 SHEET: 3 OF 12

www.Bussmann.com





RM60200-1CR

RM60200-1CR WITH CVR-RH-60200 INSTALLED

RM60200-1CR WITH CVRI-RH-60200 INSTALLED



WARNING
TO AVOID ELECTRICAL SHOCK, TURN POWER OFF BEFORE INSTALLING, REMOVING OR SERVICING.



COOPER Bussmann RM 60200-1CR

600V-200A USE CLASS R FUSE

WITHSTAND RATING 200K RMS SYM AMPS

80C/74C WIRE TORQUE/CJAL





250 MCM-1 AWG=42 NM/376 LB IN

2-6 AWG=31 NM/276 LB IN

ASSEMBLED IN MEXICO T06

CVR-RH-60200

CVRI-RH-60200



COOPER Bussmann
St. Louis MO 63178









TITLE: **Class R fuse holder-CUST-600V**

SCALE: 1:1 SIZE: A3 SHEET: 4 OF 12

RM60200-2CR

**RM60200-2CR
WITH CVR-RH-60200 INSTALLED**

**RM60200-2CR
WITH CVRI-RH-60200 INSTALLED**



COOPER Bussmann
St. Louis MO 63178




TITLE:
Class R fuse holder-CUST-600V

SCALE: 1:1 SIZE: A3 SHEET: 5 OF 12

RM60200-3CR

**RM60200-3CR
WITH CVR-RH-60200 INSTALLED**

**RM60200-3CR
WITH CVRI-RH-60200 INSTALLED**




COOPER Bussmann
St. Louis MO 63178


TITLE:
Class R fuse holder-CUST-600V

SCALE: 1:1 SIZE: A3 SHEET: 6 OF 12





RM60400-1CR



RM60400-1CR WITH CVR-RH-60400 INSTALLED



RM60400-1CR WITH CVRI-RH-60400 INSTALLED






COOPER Bussmann
RM60400-1CR
 600V-400A
 USE CLASS R FUSE
 WITHSTAND RATING
 200K RMS SYM AMPS
 TORQUE CUAL 75C WIRE
 OR 600KCMIL = 57 NM / 500 IN-LBS
 2 x 3/0 - 4 AWG = 87 Nm / 800 IN-LBS
 OR 500KCMIL - 4 AWG = 51 Nm / 450 IN-LBS
 ASSEMBLED IN MEXICO T06

UL LISTED 430P SA

CVR-RH-60400



CVRI-RH-60400




COOPER Bussmann
 St. Louis MO 63178

TITLE: **Class R fuse holder-CUST-600V**


SCALE: 1:1 SIZE: A3 SHEET: 7 OF 12

REVISIONS			DATE	ECN	BY
REV	ZONE	DESCRIPTION			







RM60400-2CR



**RM60400-2CR
 WITH CVR-RH-60400 INSTALLED**



**RM60400-2CR
 WITH CVRI-RH-60400 INSTALLED**



COOPER Bussmann
 St. Louis MO 63178









TITLE:
Class R fuse holder-CUST-600V

SCALE: 1:1 SIZE: A3 SHEET: 8 OF 12

RM60400-3CR

RM60400-3CR WITH CVR-RH-60400 INSTALLED

RM60400-3CR WITH CVRI-RH-60400 INSTALLED




COOPER Bussmann
 St. Louis MO 63178


TITLE: **Class R fuse holder-CUST-600V**

SCALE: 1:1 SIZE: A3 SHEET: 9 OF 12

RM60600-1CR









RM60600-1CR WITH CVR-RH-60600 INSTALLED




WARNING
 TO AVOID ELECTRICAL SHOCK, TURN POWER OFF BEFORE INSTALLING, REMOVING OR SERVICING.




RM60600-1CR WITH CVRI-RH-60600 INSTALLED



CVR-RH-60600



CVRI-RH-60600




COOPER Bussmann
 St. Louis MO 63178


TITLE: **Class R fuse holder-CUST-600V**

SCALE: 1:5 SIZE: A3 SHEET: 10 OF 12







RM60600-2CR



RM60600-2CR WITH CVR-RH-60600 INSTALLED



RM60600-2CR WITH CVRI-RH-60600 INSTALLED




COOPER Bussmann
 St. Louis MO 63178

TITLE:
Class R fuse holder-CUST-600V


SCALE: 1:5 SIZE: A3 SHEET: 11 OF 12

REVISIONS			DATE	ECN	BY
REV	ZONE	DESCRIPTION			


RM60600-3CR








**RM60600-3CR
WITH CVR-RH-60600 INSTALLED**



**RM60600-3CR
WITH CVRI-RH-60600 INSTALLED**



ALLEN KEY #:
3/8" (10.0MM)



COOPER Bussmann
St. Louis MO 63178

TITLE:
Class R fuse holder-CUST-600V

SCALE: 1:5 SIZE: A3 SHEET: 12 OF 12