

# Technical data sheet · Metal fitting with shield termination TOP-T-S-EMV1

Cable fittings and accessories



<b>Identification</b>	Type	TOP-T-S-EMV1 MS M16
	Part-No.	600171
<b>Use/Application/Characteristics</b>		
Characteristics	<ul style="list-style-type: none"><li>• Cable fitting with hexagon base</li><li>• Strain relief</li><li>• Gasket</li><li>• O-ring and EMC compliant shield termination</li><li>• For installation, the shield braiding and plastic insert are pressed against fitting base.</li></ul>	
<b>Technical data</b>		
Clamping range D	5.5 – 10 mm	
Protection class	IP68	
	Up to 5 bar	
d	8.2 mm	
Thread form	metric	
Thread G	M 16×1.5	
SW	17 mm	
L1	5.5 mm	
<b>Construction</b>		
Description	TOP-T-S-EMV1 MS M16	
Material	Brass nickel-plated	

28.01.2017 – Subject to technical modification

Part-No. 600171

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY


# Technical data sheet · Metal fitting with shield termination TOP-T-S-EMV1

Material O-ring	Perbunan®
Material sealing ring	NBR

## General

PU	100 Quantity
----	--------------

## Dimensions



28.01.2017 – Subject to technical modification

Part-No. 600171

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY