

Technical data sheet · Metal fitting with shield termination TOP-T-S-EMV2

Cable fittings and accessories



Identification	Type	TOP-T-S-EMV2 MS M16×1,5
	Part-No.	600371
Use/Application/Characteristics		
Characteristics	<ul style="list-style-type: none">• Cable fitting with hexagon base• Strain relief• Gasket• O-ring and EMC compliant shield termination• The braided shield is automatically contacted when mounting the screw connection.	
Technical data		
Clamping range D	4 – 8 mm	
Protection class	IP68	
	Up to 5 bar	
Thread form	metric	
Thread G	M 16×1.5	
SW 1	17 mm	
SW 2	18 mm	
L	30 mm	
L1	7 mm	
Construction		
Description	TOP-T-S-EMC2 MS M16 x 1.5	
Material	Brass nickel-plated	

28.01.2017 – Subject to technical modification

Part-No. 600371

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY


Technical data sheet · Metal fitting with shield termination TOP-T-S-EMV2

Material O-ring	Perbunan®
Material sealing ring	NBR

General

PU	50 Quantity
----	-------------

Dimensions



28.01.2017 – Subject to technical modification

Part-No. 600371

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY