

Technical data sheet · Metal fittings TOP-M EExe

Cable fittings and accessories



Identification	Type	TOP-M EExe M 63 × 1.5
	Part-No.	600927
Use/Area of application		
Application	• For explosion risk areas according to EN 50014	
Properties	• Ex cable fitting with hexagon base • Strain relief and gasket	
Technical data		
Strain relief	Yes	
Material	Brass nickle-plated	
Protection class	IP 68 to 5 bar	
Anti-kink device	without anti-kink device	
Gasket	Neoprene	
O-Ring (OR)	Perbunan®	
Clamping range D	32.0 – 42.0 mm	
weight approx.	31.50 kg/100 piece	
Thread	metric	
Design		
G	M 63×1.5	
L 1	5.0 mm	
SW	65 mm	

08.12.2012 – Subject to technical modification

Part-No. 600927

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY


Technical data sheet · Metal fittings TOP-M EExe

General

PU

5 piece

Dimensions



08.12.2012 – Subject to technical modification

Part-No. 600927

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY