



---

<b>Identification</b>	Type	LS-DT06 9442.0500 5,0mPUR
	Part-No.	709442.0500

---

## Technical data

---

Function type	Suppressors for valves
Protection device	Suppressor diode + LED
Nominal voltage	DC 12 / 24 V
Current Consumption per LED	≤10 mA
Shut-off points	≤52 V
Holding capacitance	≤ 100VA
Type of connecting lead	2 × 0.75 mm <sup>2</sup> PUR black <sup>1)</sup>
Length of connecting lead (M)	5 M
Connecting lead	∅ 5.0 ± 0.20 mm

---

## General

---

Form	Deutsch DT06-2S
Status indication LED	LED yellow
Coil Current max.	≤2 A
Conductor marking	black, blue
Housing material	PA black, TPU translucent black
Contact material	CuZn nickel-plate
Protection class	IP 67
Field installation	plug-in Direct assembly with protective conduit is possible.

---

29.01.2017 – Subject to technical modification

Part-No. 709442.0500

USA: LUTZE INC.

13330 South Ridge Drive · Charlotte, NC 28273, USA  
Tel. +1 (704) 504-0222 · Fax +1 (704) 504-0223  
www.lutze.com · info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington · GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 · Fax +44 (0)1827 31333-2  
www.lutze.com · sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY


## Technical data sheet - Suppression Technology

Operation temperature range	Male: -30 °C – 85 °C, cable: fixed -40 °C– 80 °C, moving -30 °C – 80 °C
Storage temperature range	-40 °C ... 90 °C
Dimensions (w × h × d)	14.9 × 17.1 × 49.5 mm
Weight (kg/piece)	0.235


### Dimensions



### PIN assignment



Pin layout



### Accessories

Accessories	Color	Article number	Type	PU
Protection tube				
Condufix OL PA 07, NW 10 mm	black	272121	OL PA 10	1
Condufix OS PA 07, NW 10 mm	black	272161	OS PA 10	1

29.01.2017 – Subject to technical modification

Part-No. 709442.0500

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
 Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
 www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
 Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
 Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
 www.lutze.com • sales.gb@lutze.co.uk

## Technical data sheet - Suppression Technology

---

### Comments

<sup>1)</sup> Excellent chemical and oil resistance. The material resistance must be checked based on the application for use with aggressive media!

29.01.2017 – Subject to technical modification

Part-No. 709442.0500

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA

Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223

[www.lutze.com](http://www.lutze.com) • [info@lutze.com](mailto:info@lutze.com)

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park

Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU

Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2

[www.lutze.com](http://www.lutze.com) • [sales.gb@lutze.co.uk](mailto:sales.gb@lutze.co.uk)



SYSTEMATIC TECHNOLOGY