



Identification	Type	OT 7-0108 DC 24 V
	Part-No.	760108
Input		
Input voltage range		18.0 V – 30.0 V
Rated current		10.0 mA
Interrupting voltage		<10 V
Protection device		Bridge rectifier
Status Indication		LED yellow
Load Side		
Min. switching voltage		DC 5 V
Max. switching voltage		DC 54 V
Min. switching current		DC 1 mA
Max. switching current		DC 100 mA
Switch-on delay		5 ms
Switch-off delay		10 ms
Switching frequency		<100 Hz
Clearance/creep. dist. (control/load side)		>5.5 mm
General		
Housing material		PPE
Protection class		IP 20

20.04.2013 – Subject to technical modification

Part-No. 760108

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
 Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
 www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
 Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
 Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
 www.lutze.com • sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY


Technical data sheet - Interface Technology

Field installation	rail TS 35 (EN 50022)
Insulation voltage input/output	2.5 kV _{eff}
Safe isolation	yes
Min. working temperature	-25 °C
Max. working temperature	60 °C
Min. storage temperature	-40 °C
Max. storage temperature	80 °C
Width	6.2
Height	90.0
Depth	92.5
Weight (kg/piece)	0.035
Approvals	cULus in preparation
Termination	Screw terminal: 0.5–1.5 mm ²

Dimensions



PIN assignment



Accessories

20.04.2013 – Subject to technical modification

Part-No. 760108

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk

Technical data sheet - Interface Technology

Accessories	Colour	Article number	Type	PU
SSR-module		768011	SSR-DC 24 V/ DC 48V; 0.1A	20
Tag holder 4x11 mm	white	681313	BZT -0411	100
Isolation plate		760809	TP 7-0809	5
Labels for laser printer A4 unpunched		681031	LEB-A4	1
Labels for laser printer 4.23 x 11 mm (Sheet with 1056 labels)		681034	LEB-0411	1

Accessories

Accessories	Colour	2-pole	3-pole	4-pole	8-pole	16-pole	PU
Jumper comb 6A	red	762802	762805	762812	762822	762832	5
Jumper comb 6A	white	762803	762806	762813	762823	762833	5
Jumper comb 6A	blue	762804	762807	762814	762824	762834	5

20.04.2013 – Subject to technical modification

Part-No. 760108

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA

Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223

www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park

Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU

Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2

www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY