



Identification	Type	OT 6-1103 DC 24V
	Part-No.	761103
Input		
Input voltage range	10.0 V – 30.0 V	
Rated current	7.0 mA	
Interrupting voltage	<9 V	
Protection device	Suppressor diode	
Status Indication	LED yellow, short circuit and wire breakage: LED red "ON" at I < 0.5 A, I > 5A	
Load Side		
Switching element	Transistor, NO contact – short circuit-proof (autostart)	
Min. switching voltage	DC 10 V	
Max. switching voltage	DC 30 V	
Min. switching current	DC 1 mA	
Max. switching current	DC 5 A (Derating)	
Switch-on delay	220 µs	
Switch-off delay	200 µs	
Switching frequency	<2 kHz	
Protection device output	Suppressor diode	
General		
Housing material	PPE	

03.04.2016 – Subject to technical modification

Part-No. 761103

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
 Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
 www.lutze.com • info@lutze.com

United Kingdom: LUTZE Ltd.


Unit 3, Sandy Hill Park
 Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
 Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
 www.lutze.com • sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY

Technical data sheet • Interface Technology

PIN assignment



Derating



Accessories

Accessories	Color	Article number	Type	PU
Jumper comb 24-pin, 26 A	blue	760801	BK 6-0801	5
Tag holder 4×11 mm	white	681313	BZT-0411	100

Comments

Inductive loads must be wired with a suitable suppressor element.
Voltage drop for interconnected output: <0.5 V.

Description

Semiconductor relay module for the output component. A 30 V / DC 0.5 – 5 A short-circuit-resistant output is available on the load side.

03.04.2016 – Subject to technical modification

Part-No. 761103

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LUTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY