



Identification	Type	CV 7-2187 DC24V/5/9
	Part-No.	762187
Description	DC/DC converter, 1-channel Input: DC 24 V Output: DC 9 V / 5 V	

25.08.2017 – Subject to technical modification

Part-No. 762187

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY

Technical data sheet - Power supply

Input

Rated voltage U_N	DC 24 V
Operation voltage range	DC 16.8–30 V
Rated current I_N	15 mA
Status display input	LED

Output

Rated voltage U_N	DC 5 V/9 V
Rated current I_N	0.10 A
Short-circuit current	<900 mA
Setting range $U_{out\ min.}/U_{out\ max.}$	$\pm 0.5\ V / \pm 1.0\ V$ via potentiometer
Load regulation	<1 %
Rise time	<10 ms
Ripple and Noise	<10 mV _{eff}
Parallel / redundant mode	No
Short circuit	Current limit

General

Insulation voltage input / output	1.5 kV _{eff}
Rated insulation voltage (EN 50178)	50 V
Operation temperature range	-25 °C ... +60 °C
Storage temperature range	-40 °C ... +85 °C
Cooling	Air convection
Housing material	PA
Mounting	DIN rail mountable TS35 (EN 60715)
Installation position	any
Protection class	IP20 (IEC 529, EN 60529)
Over voltage category	I
Degree of pollution	2
Weight	0.040 kg/piece
Connection device	Screw terminal 0.14 mm ² – 1.5 mm ²
Dimensions (w × h × d)	6.2 × 90.0 × 92.5 mm
PU	1 piece

25.08.2017 – Subject to technical modification

Part-No. 762187

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.


Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY

Technical data sheet · Power supply

Dimensions



PIN assignment



Accessories

Accessories	Color	2-pin	3-pin	4-pin	8-pin	16-pin	PU
Jumper comb 6 A	red	762802	762805	762812	762822	762832	10
Jumper comb 6 A	white	762803	762806	762813	762823	762833	10
Jumper comb 6 A	blue	762804	762807	762814	762824	762834	10

Accessories

Accessories	Color	Part-No.	Type	PU
Labelling sign 4x11 mm	white	681313	BZT-0411	100
Insulation plate		760809	TP 7-0809 MIC/SNR	10
Laser label A4 not punched		681031	LEB A4 PW	1

25.08.2017 – Subject to technical modification

Part-No. 762187

USA: LUTZE INC.

13330 South Ridge Drive · Charlotte, NC 28273, USA
 Tel. +1 (704) 504-0222 · Fax +1 (704) 504-0223
 www.lutze.com · info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
 Sandy Way, Amington · GB-Tamworth, Staffs B77 4DU
 Tel. +44 (0)1827 31333-0 · Fax +44 (0)1827 31333-2
 www.lutze.com · sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY