



Features

- · Cast Aluminium
- Installation in Zone 1, Zone 2, Zone 21 and Zone 22
- Threaded cable entries
- · Padlockable switch

Dimensions (mm)





Tecl	nnical	data
------	--------	------

Electrical specifications	
Operating voltage	690 V
Operating current	160 A (AC21A)
Power	55 kW (AC23A) 45 kW (AC3)
Terminal capacity	95 mm ²
Function	switch disconnetor
Number of poles	4
Auxiliary contacts	2 x n/o early break
Lockable	in 'OFF' position
Labeling	OFF - ON
Mechanical specifications	
Height	335 mm NOM.
Width	310 mm NOM.
Depth	253 mm NOM.
Enclosure cover	hinged non-detachable
Cover fixing	M8 stainless steel socket cap head screws
Fastener grade	A2-70
Protection degree	IP66
Cable entry	metric threaded
Number of cable entries	2 x M40 in face B 1 x M20 in face B all entries are fitted with Ex d sealing plugs
Material	
Enclosure	cast aluminium
Finish	painted black

Seal

one piece closed cell neoprene

approx. 19 kg

Ψ
ďΩ
437905
0
\sim
က
4
CO
=
٠,
÷
0
π
က
$\overline{}$
2013-01-16
$\overline{\Delta}$
- 4
m
~
ಷ
77
. <u></u>
4
0
-
$\underline{\mathbf{w}}$
7
Δ
Date of issue
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11
2013-01-16 13:11

Mounting	2 x fabricated stainless steel mounting straps
Grounding	internal & external brass grounding terminals on base and lid
Ambient conditions	
Ambient temperature	-40 55 °C (-40 131 °F)
Data for application in connection with Exareas	
EC-Type Examination Certificate	SIRA 04 ATEX 1266X
Group, category, type of protection, temperature class	(x) II 2 GD Ex d IIB T5 Gb, Ex tb IIIC T82°C Db (ta +55°C)
International approvals	
IECEx approval	IECEx SIR 08.0056X
GOST-R approval	GOST-R B01008
Conformity	
Protection degree	EN 60529
Switch	switch disconnector to IEC 60947-3
General information	
Supplementary information	EC-Type Examination Certificate, Statement of Conformity, Declaration of Conformity, Attestation of Conformity and instructions have to be observed where applicable. For information see www.pepperl-fuchs.com.