ZCKE62

limit switch head ZCKE - steel roller plunger





Main	
Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Plunger head
Product compatibility	XCKJ
Associated body	ZCKJ11 ZCKJ11H29 ZCKJ1H7 ZCKJ1H29 ZCKJ1H7 ZCKJ2 ZCKJ21 ZCKJ21 ZCKJ21H7 ZCKJ2H29 ZCKJ2H7 ZCKJ4H7 ZCKJ4 ZCKJ4H7 ZCKJ4H29 ZCKJ4H7 ZCKJ4H7 ZCKJ4H7 ZCKJ5 ZCKJ4H7 ZCKJ5 ZCKJ5H7 ZCKJ5 ZCKJ5H7 ZCKJ5 ZCKJ5H7 ZCKJ5 ZCKJ5H7 ZCKJ6 ZCKJ6H29 ZCKJ6H7 ZCKJ6 ZCKJ6H7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ8 ZCKJ8H29 ZCKJ8H7 ZCKJ8 ZCKJ8H29 ZCKJ8H7 ZCKJ8 ZCKJ8H7 ZCKJ9 ZCKJ9H7 ZCKJB31 ZCKJD31H7 ZCKJD35 ZCKJD35H7 ZCKJD35 ZCKJD37H29 ZCKJD39H29 ZCKJD39H29 ZCKJD39H29 ZCKJD39H29 ZCKJD39H29 ZCKJD39H29 ZCKJD39H29 ZCKJD39H29 ZCKJD39H29 ZCKJD39H7
Movement of operating head	Linear
Type of operator	Roller plunger spring return metal
Type of approach	Lateral approach 2 directions

Complementary

Switch actuation	By 30° cam	
Positive opening	With	
Head material	Metal	

1

Environment

Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0951 - General Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

