Product data sheet Characteristics

ZCKE66

limit switch head ZCKE - steel ball bearing plunger





Mair

Main	
Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Plunger head
Product compatibility	XCKJ
Associated body	ZCKJ1 ZCKJ11H29 ZCKJ1H7 ZCKJ1H29 ZCKJ1H7 ZCKJ2 ZCKJ21 ZCKJ21 ZCKJ21H29 ZCKJ21H7 ZCKJ2H29 ZCKJ2H7 ZCKJ44 ZCKJ4H29 ZCKJ4H7 ZCKJ4 ZCKJ4H7 ZCKJ4 ZCKJ4H7 ZCKJ5 ZCKJ4H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ6 ZCKJ5H7 ZCKJ6 ZCKJ6H7 ZCKJ6 ZCKJ6H7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ8 ZCKJ8H29 ZCKJ8H7 ZCKJ8 ZCKJ8H29 ZCKJ8H7 ZCKJ8 ZCKJ8H29 ZCKJ8H7 ZCKJ8 ZCKJ8H29 ZCKJ8H7 ZCKJ9 ZCKJ9H7 ZCKJ9 ZCKJ9H7 ZCKJD31 ZCKJD31 ZCKJD31 ZCKJD35H7 ZCKJD35 ZCKJD35H7 ZCKJD35H7 ZCKJD37 ZCKJD37H7 ZCKJD39 ZCKJD39H7
Movement of operating head	Linear
Type of operator	End plunger spring return metal (ball bearing mounted)
T(Mariti dinestianal anno sale

Multi-directional approach

Type of approach

Complementary

Switch actuation	By 30° cam
Positive opening	With
Head material	Metal

Environment

Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1014 - Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

