
XZCRA150941J5

jumper cable XZ - male straight M12 4-pin - female straight M8 4-pin - PVC 5m



Main		
Accessory / separate part category	Cabling accessory	
Accessory / separate part type	Jumper cable	

Complementary

Jumper cable end 1	M12 male, :4 pins (straight), fixing: screw-on and clip-on	
Jumper cable end 2	M8 female, :4 pins (straight), fixing: screw-on and clip-on	
Collar material	Metal	
Cable composition	4 x 0.34 mm²	
Cable length	5 m	
Cable outer diameter	5.3 mm	
[Ue] rated operational voltage	75 V DC 60 V AC	
[In] rated current	4 A	
Insulation resistance	>= 1000 MOhm	
Resistance across terminals	<= 5000 mOhm	
Product weight	0.21 kg	

Environment

IP degree of protection	IP68	-
Ambient air temperature for operation	-2585 °C (static)	_


Offer Sustainability

Sustainable offer status	Not Green Premium product
RoHS (date code: YYWW)	Compliant - since 0601 - Schneider Electric declaration of conformity

Product data sheet Dimensions Drawings

XZCRA150941J5

Dimensions



L: Lenght of cable

Product data sheet Connections and Schema

XZCRA150941J5

Connections and Schemes

