



Bar code scanners  
CLP100

CLP100-2110



**Model Name** > [CLP100-2110](#)  
**Part No.** > [1018334](#)



**At a glance**

- Outstanding reading performance at short reading distances
- Short capture time thanks to high scanning frequency
- Integrated result output to control operations by the use of Good Read or No Read signal
- Easy configuration supported by a Windows based Set-up software

**Your benefits**

- Easy integration even in systems with limited space thanks to its compact design
- The short reading distance enables a high density of components to be installed in small systems



**Features**

Connection type:	Standard
Reading field:	Side (105 °)
Scanner design:	CCD scanner
Focus:	Fixed focus
Light source:	Visible red light (630 nm)
Code resolution:	0.15 mm ... 1 mm
Reading distance:	25 mm ... 55 mm <sup>1)</sup>
Reading field (at distance):	80 mm (40 mm )
Scanning frequency:	≤ 500 Hz

<sup>1)</sup> For details see reading field diagram

**Performance**

Bar code types:	Interleaved 2 of 5, Codabar, Code 128, Code 39, UPC/GTIN/EAN
-----------------	--

**Interfaces**

Serial (RS-232):	✓
Function (Serial (RS-232)):	Host
Data transmission rate (Serial (RS-232)):	1,200 Baud ... 19,200 Baud
Ethernet:	-
CAN bus:	-
PROFIBUS DP:	-
EtherCAT:	-

DeviceNet: -  
Optical indicators: 1 LED (red/green)

---

**Mechanics/electronics**

Operating voltage:  $\leq 5$  V DC  
Power consumption: 2 W  
Housing: Metal  
Housing color: Light blue (RAL 5012)  
Enclosure rating: IP 40  
Weight: 200 g, with connecting cable  
Dimensions: 48 mm x 56 mm x 22 mm

---

**Ambient data**

Electromagnetic compatibility (EMC): IEC 801  
Ambient operating temperature: 0 °C ... +40 °C  
Storage temperature: -20 °C ... +70 °C  
Permissible relative humidity:  $\pm 85$  %, non-condensing  
Ambient light safety: 2,000 lx, on bar code

**Australia**

Phone +61 3 9457 0600  
1800 33 48 02 – tollfree  
E-Mail sales@sick.com.au

**Belgium/Luxembourg**

Phone +32 (0)2 466 55 66  
E-Mail info@sick.be

**Brasil**

Phone +55 11 3215-4900  
E-Mail marketing@sick.com.br

**Canada**

Phone +1 905 771 14 44  
E-Mail information@sick.com

**Česká republika**

Phone +420 2 57 91 18 50  
E-Mail sick@sick.cz

**China**

Phone +86 4000 121 000  
E-Mail info.china@sick.net.cn  
Phone +852-2153 6300  
E-Mail ghk@sick.com.hk

**Danmark**

Phone +45 45 82 64 00  
E-Mail sick@sick.dk

**Deutschland**

Phone +49 211 5301-301  
E-Mail info@sick.de

**España**

Phone +34 93 480 31 00  
E-Mail info@sick.es

**France**

Phone +33 1 64 62 35 00  
E-Mail info@sick.fr

**Great Britain**

Phone +44 (0)1727 831121  
E-Mail info@sick.co.uk

**India**

Phone +91-22-4033 8333  
E-Mail info@sick-india.com

**Israel**

Phone +972-4-6881000  
E-Mail info@sick-sensors.com

**Italia**

Phone +39 02 27 43 41  
E-Mail info@sick.it

**Japan**

Phone +81 (0)3 5309 2112  
E-Mail support@sick.jp

**Magyarország**

Phone +36 1 371 2680  
E-Mail office@sick.hu

**Nederland**

Phone +31 (0)30 229 25 44  
E-Mail info@sick.nl

**Norge**

Phone +47 67 81 50 00  
E-Mail sick@sick.no

**Österreich**

Phone +43 (0)22 36 62 28 8-0  
E-Mail office@sick.at

**Polska**

Phone +48 22 837 40 50  
E-Mail info@sick.pl

**România**

Phone +40 356 171 120  
E-Mail office@sick.ro

**Russia**

Phone +7-495-775-05-30  
E-Mail info@sick.ru

**Schweiz**

Phone +41 41 619 29 39  
E-Mail contact@sick.ch

**Singapore**

Phone +65 6744 3732  
E-Mail sales.gsg@sick.com

**Slovenija**

Phone +386 (0)1-47 69 990  
E-Mail office@sick.si

**South Africa**

Phone +27 11 472 3733  
E-Mail info@sickautomation.co.za

**South Korea**

Phone +82 2 786 6321/4  
E-Mail info@sickkorea.net

**Suomi**

Phone +358-9-25 15 800  
E-Mail sick@sick.fi

**Sverige**

Phone +46 10 110 10 00  
E-Mail info@sick.se

**Taiwan**

Phone +886 2 2375-6288  
E-Mail sales@sick.com.tw

**Türkiye**

Phone +90 (216) 528 50 00  
E-Mail info@sick.com.tr

**United Arab Emirates**

Phone +971 (0) 4 88 65 878  
E-Mail info@sick.ae

**USA/México**

Phone +1(952) 941-6780  
1 (800) 325-7425 – tollfree  
E-Mail info@sickusa.com

More representatives and agencies  
at [www.sick.com](http://www.sick.com)