

LL3-TY05







fibers LL3, Fibers, through-beam system

Model Name > LL3-TY05
Part No. > 5325980



At a glance

- Sender and receiver fibers are mounted separately
- Detection of measurement object by moving the optical axis between sender and receiver
- · Very large sensing ranges
- For accurate positioning
- · Stable measuring position
- Optically opaque measurement objects can be detected regardless of their shape, color and material
- · Strong light beam

Your benefits

- Very large selection of fiber-optic cables with plastic and glass fibers, giving users more application flexibility
- Resistant to damage caused by mechanical and chemical stress, as well as high temperatures
- Standard and customer-specific types
- · Simple installation saves time
- · For detection of objects, surfaces, leading edges, and fluid levels

Features

For fiber-optic sensor: WLL160(T), WLL170-2/WLL170T-2, WLL180T, WLL190T-2

Device type: Fibers
Jacket material: PE+PFA
Core material: PMMA
Sleeve material: PFA
Diameter, connection: 2.2 mm

Mounting sleeve dimension: 15 x 13 x 7 mm

Bend radius, fibre-optic cable:

Heat resistance:

Ambient temperature operation:

Minimal object diameter:

Core structure:

Fiber-optic cable cuttable

10 °C ... 60 °C

4 mm

1)

10 mm

Fiber-optic cable cuttable

1.0 mm

Fiber-optic cable cuttable ²⁷:

Thread sleeve:
Sleeve:
90° offset:
Flat housing:
High flexible:

✓

✓

Fiber-optic cable cuttable ²⁷:

High flexible:

✓

✓

Flat housing:

F

Long end sleeve:

Array:
High temperature:
Oil/chemical resistent:

Lcd/clear material/semiconductor:

Vacuum:
Robotics:
Retro-reflective:
Liquid level:

Special features: Teflon sheathing: chemically resistant

Category fiber-optic cables: Resistant to oil/chemicals

Fiber length: 2,000 mm

Sensing range with WLL180T

Operating mode 16 μ s: 850 mm Operating mode 70 μ s: 2,700 mm Operating mode 250 μ s: 3,000 mm Operating mode 2 ms: 4,000 mm Operating mode 8 ms: 4,000 mm


Sensing range with WLL170-2

 Redlight 250 μs:
 2,200 mm

 Greenlight 250 μs:
 1,300 mm

 Highspeed 50 μs:
 800 mm

¹⁾ Minimum detectable object was determined at optimal measuring distance and optimal setting 2) FC fiber optic cable cutter included in delivery



Alle Maße in mm

Australia

Phone +61 3 9457 0600 1800 33 48 02 - tollfree

E-Mail sales@sick.com.au

Belgium/Luxembourg

Phone +32 (0)2 466 55 66 E-Mail info@sick.be

Brasil

Phone +55 11 3215-4900

E-Mail marketing@sick.com.br

Phone +1 905 771 14 44 E-Mail information@sick.com

Česká republika

Phone +420 2 57 91 18 50

E-Mail sick@sick.cz

China

Phone +86 4000 121 000 E-Mail info.china@sick.net.cn Phone +852-2153 6300 E-Mail ghk@sick.com.hk

Danmark

Phone +45 45 82 64 00 E-Mail sick@sick.dk

Deutschland

Phone +49 211 5301-301

E-Mail info@sick.de

Phone +34 93 480 31 00

E-Mail info@sick.es

France

Phone +33 1 64 62 35 00

E-Mail info@sick.fr

Great Britain

Phone +44 (0)1727 831121

E-Mail info@sick.co.uk

Phone +91-22-4033 8333

E-Mail info@sick-india.com

Israel

Phone +972-4-6881000

E-Mail info@sick-sensors.com

Italia

Phone +39 02 27 43 41

E-Mail info@sick.it

Phone +81 (0)3 5309 2112

E-Mail support@sick.jp

Magyarország

Phone +36 1 371 2680

E-Mail office@sick.hu

Nederland

Phone +31 (0)30 229 25 44

E-Mail info@sick.nl

Norge

Phone +47 67 81 50 00

E-Mail sick@sick.no

Österreich

Phone +43 (0)22 36 62 28 8-0

E-Mail office@sick.at

Phone +48 22 837 40 50

E-Mail info@sick.pl

România

Phone +40 356 171 120

E-Mail office@sick.ro

Phone +7-495-775-05-30

E-Mail info@sick.ru

Schweiz

Phone +41 41 619 29 39

E-Mail contact@sick.ch

Singapore

Phone +65 6744 3732

E-Mail sales.gsg@sick.com

Slovenija

Phone +386 (0)1-47 69 990

E-Mail office@sick.si

South Africa

Phone +27 11 472 3733

E-Mail info@sickautomation.co.za

South Korea

Phone +82 2 786 6321/4

E-Mail info@sickkorea.net

Phone +358-9-25 15 800

E-Mail sick@sick.fi

Sverige

Phone +46 10 110 10 00

E-Mail info@sick.se

Phone +886 2 2375-6288

E-Mail sales@sick.com.tw

Phone +90 (216) 528 50 00

E-Mail info@sick.com.tr

United Arab Emirates

Phone +971 (0) 4 88 65 878

E-Mail info@sick.ae

USA/México

Phone +1(952) 941-6780

1 (800) 325-7425 - tollfree

E-Mail info@sickusa.com

More representatives and agencies

at www.sick.com

