

LL3-DK06-01







# fibers LL3, Fibers, proximity system

Model Name > LL3-DK06-01 Part No. > 5326997



### At a glance

- · Quick and easy mounting
- Models with hexagonal flange for trouble-free mounting with only one nut
- · Optional tip adapter for a larger detection distance and small objects

#### Your benefits

- Very large selection of fiber-optic cables with plastic and glass fibers, giving users more application flexibility
- Resistant to damage caused by mechanical and chemical stress, as well as high temperatures
- · Standard and customer-specific types
- · Simple installation saves time
- · For detection of objects, surfaces, leading edges, and fluid levels

#### **Features**

For fiber-optic sensor: WLL160(T), WLL170-2/WLL170T-2, WLL180T, WLL190T-2

Device type: Fibers
Jacket material: PE
Core material: PMMA

Sleeve material: Stainless steel 1)

Diameter, connection:2.2 mmMounting sleeve dimension:M6Bend radius, fibre-optic cable:25 mmHeat resistance:70 °C

Ambient temperature operation:  $-40 \,^{\circ}\text{C} \dots 70 \,^{\circ}\text{C}$  Minimal object diameter:  $0.015 \, \text{mm}^{2)}$  Core structure:  $2 \times (9.10 \, \text{mm}^{3)}$ 

Fiber-optic cable cuttable 4):

Thread sleeve:

Sleeve:

90° offset:

Flat housing:

High flexible:

Long end sleeve:

Array:

High temperature:

Oil/chemical resistent:

Lcd/clear material/semiconductor:

Robotics: -

Retro-reflective: -

Liquid level: -

Special features: Standard, compact end sleeve, maximum sensing range

Category fiber-optic cables: Threaded sleeve Fiber length: 1,000 mm

1) Stainless steel 2) Minimum detectable object was determined at optimal measuring distance and optimal setting 3) C = Coaxial, S = Sender, E = Receiver 4) FC

fiber optic cable cutter included in delivery


## Sensing range with WLL180T

Operating mode 16 µs:	100 mm
Operating mode 70 µs:	300 mm
Operating mode 250 µs:	500 mm
Operating mode 2 ms:	900 mm
Operating mode 8 ms:	1,400 mm

## Sensing range with WLL170-2

Redlight 250 µs:	165 mm
Greenlight 250 µs:	37 mm
Highspeed 50 µs:	65 mm

## **Dimensional drawing**



All dimensions in mm

Australia

Phone +61 3 9457 0600 1800 33 48 02 - tollfree

E-Mail sales@sick.com.au

Belgium/Luxembourg

Phone +32 (0)2 466 55 66 E-Mail info@sick.be

Brasil

Phone +55 11 3215-4900

E-Mail marketing@sick.com.br

Phone +1 905 771 14 44 E-Mail information@sick.com

Česká republika

Phone +420 2 57 91 18 50

E-Mail sick@sick.cz

China

Phone +86 4000 121 000 E-Mail info.china@sick.net.cn Phone +852-2153 6300

E-Mail ghk@sick.com.hk Danmark

Phone +45 45 82 64 00

E-Mail sick@sick.dk

Deutschland

Phone +49 211 5301-301

E-Mail info@sick.de

Phone +34 93 480 31 00

E-Mail info@sick.es

France

Phone +33 1 64 62 35 00

E-Mail info@sick.fr

**Great Britain** 

Phone +44 (0)1727 831121

E-Mail info@sick.co.uk

Phone +91-22-4033 8333

E-Mail info@sick-india.com

Israel

Phone +972-4-6881000

E-Mail info@sick-sensors.com Italia

Phone +39 02 27 43 41

E-Mail info@sick.it

Phone +81 (0)3 5309 2112

E-Mail support@sick.jp

Magyarország

Phone +36 1 371 2680

E-Mail office@sick.hu

Nederland

Phone +31 (0)30 229 25 44

E-Mail info@sick.nl

Norge

Phone +47 67 81 50 00

E-Mail sick@sick.no

Österreich

Phone +43 (0)22 36 62 28 8-0

E-Mail office@sick.at

Phone +48 22 837 40 50

E-Mail info@sick.pl

România

Phone +40 356 171 120

E-Mail office@sick.ro

Phone +7-495-775-05-30

E-Mail info@sick.ru

Schweiz

Phone +41 41 619 29 39

E-Mail contact@sick.ch

Singapore

Phone +65 6744 3732

E-Mail sales.gsg@sick.com

Slovenija

Phone +386 (0)1-47 69 990

E-Mail office@sick.si

South Africa

Phone +27 11 472 3733

E-Mail info@sickautomation.co.za

South Korea

Phone +82 2 786 6321/4

E-Mail info@sickkorea.net

Phone +358-9-25 15 800

E-Mail sick@sick.fi

Sverige

Phone +46 10 110 10 00

E-Mail info@sick.se

Phone +886 2 2375-6288

E-Mail sales@sick.com.tw

Phone +90 (216) 528 50 00

E-Mail info@sick.com.tr

**United Arab Emirates** 

Phone +971 (0) 4 88 65 878

E-Mail info@sick.ae

USA/México

Phone +1(952) 941-6780

1 (800) 325-7425 - tollfree

E-Mail info@sickusa.com

More representatives and agencies

at www.sick.com

