

UM18-20012







# Ultrasonic sensors **UM18 Double Sheet Detector**

**Model Name** > UM18-20012 Part No. > 6025670

### At a glance

- . Double-sheet detection of foils, metal sheets and corrugated cardboard with F, N and G flute sizes
- Installation distance 37 mm ... 43 mm
- · Automatic adjustment, plug and play operation
- · Color-independent detection
- · Two switching outputs for double and miss-fed sheets

#### Your benefits

- · Increased quality and productivity through reliable double sheet detection
- · Fast commissioning since sensor does not require calibration or teaching
- Reliable detection of transparent foils, various paper types and thin metal sheets provide application flexibility





### **Performance**

Resolution: Double sheets not completely glued together

Response time: 2.5 ms/6.5 ms

Ultrasonic frequency (typical): 400 kHz

Installation distance: 37 mm ... 43 mm

7 mm from sender and receiver Blind zone: Permissible angle deviation: ± 45 ° perpendicular to sheet

Detectable material: Metal-laminated sheets and films: ≤0.4 mm, Paper grams per square

meter: 20 ... 1,200 g/m², Self-adhesive films, metal sheets<sub>1</sub> ≤0.3 mm, Corrugated cardboard: single wall F, N and G flute sizes:

## Interfaces

Output type 1): 2). 3). 2 x PNP (500 mA)

Off delay: 10 ms Control input:

1) Output Q short-circuit protected  $^{9}$  Q<sub>1</sub>: switching output double sheet, Q<sub>2</sub>: switching output mis-fed sheet, normally closed  $^{3)}$  PNP: HIGH =  $^{9}$  V  $^{9}$  C (< 2 V)/LOW = 0 V

#### Mechanics/electronics



<sup>1)</sup> Approximate values: should be qualified in the application

Supply voltage Vs 1): DC 20 V ... 30 V

Power consumption <sup>2)</sup> ≤ 1.35 W Initialization time: < 300 ms

Design: Cylindrical, M18 Housing material: nickel-plated brass

Electrical connection:

Connection cable: 5-pin, 2 m, PVC Sender: cable with connector, 2-pin, 1 m, PVC Receiver: cable with connector, 2-pin, 1.2 m, PVC


Indication: 1 x dual LED 280 g <sup>3)</sup> Weight:

### **Ambient data**

IP 67 1) Enclosure rating:

Operation: +5 ... +60 °C Ambient temperature: Storage: -40 ... +85 °C

## **Dimensional drawing**




All dimensions in mm (inch)

- |1| Connection cable: 5-pin, 2 m, PVC
- |2| Receiver: cable with connector, 2-pin, 1.2 m, PVC
- |3| Status indicator of the switching outputs
- |4| Sender: cable with connector, 2-pin, 1 m, PVC
- |5| Mounting nuts, SW 24 mm

<sup>1)</sup> Limit values, reverse-polarity protected, operation in short-circuit protected network: max. 8 A 2) Without load 3) Incl. cable

 $<sup>^{\</sup>mbox{\scriptsize 1)}}$  Connector of connection cable between sender and receiver complies with IP 20



- |1| Connection cable: 5-pin, 2 m, PVC
- |2| Receiver: cable with connector, 2-pin, 1.2 m, PVC
- |3| Status indicator of the switching outputs


## Connection type receiver




Connection type sender



## Connection diagram receiver



## Characteristic curve



Australia

Phone +61 3 9457 0600 1800 33 48 02 - tollfree

E-Mail sales@sick.com.au

Belgium/Luxembourg

Phone +32 (0)2 466 55 66 E-Mail info@sick.be

Brasil

Phone +55 11 3215-4900

E-Mail marketing@sick.com.br

Phone +1 905 771 14 44 E-Mail information@sick.com

Česká republika

Phone +420 2 57 91 18 50

E-Mail sick@sick.cz

China

Phone +86 4000 121 000 E-Mail info.china@sick.net.cn Phone +852-2153 6300 E-Mail ghk@sick.com.hk

Danmark

Phone +45 45 82 64 00 E-Mail sick@sick.dk

Deutschland

Phone +49 211 5301-301

E-Mail info@sick.de

Phone +34 93 480 31 00

E-Mail info@sick.es

France

Phone +33 1 64 62 35 00

E-Mail info@sick.fr

**Great Britain** 

Phone +44 (0)1727 831121

E-Mail info@sick.co.uk

Phone +91-22-4033 8333

E-Mail info@sick-india.com

Israel

Phone +972-4-6881000

E-Mail info@sick-sensors.com

Italia

Phone +39 02 27 43 41

E-Mail info@sick.it

Phone +81 (0)3 5309 2112

E-Mail support@sick.jp

Magyarország

Phone +36 1 371 2680

E-Mail office@sick.hu

Nederland

Phone +31 (0)30 229 25 44

E-Mail info@sick.nl

Norge

Phone +47 67 81 50 00

E-Mail sick@sick.no

Österreich

Phone +43 (0)22 36 62 28 8-0

E-Mail office@sick.at

Phone +48 22 837 40 50

E-Mail info@sick.pl

România

Phone +40 356 171 120

E-Mail office@sick.ro

Phone +7-495-775-05-30

E-Mail info@sick.ru

Schweiz

Phone +41 41 619 29 39

E-Mail contact@sick.ch

Singapore

Phone +65 6744 3732

E-Mail sales.gsg@sick.com

Slovenija

Phone +386 (0)1-47 69 990

E-Mail office@sick.si

South Africa

Phone +27 11 472 3733

E-Mail info@sickautomation.co.za

South Korea

Phone +82 2 786 6321/4

E-Mail info@sickkorea.net

Phone +358-9-25 15 800

E-Mail sick@sick.fi

Sverige

Phone +46 10 110 10 00

E-Mail info@sick.se

Phone +886 2 2375-6288

E-Mail sales@sick.com.tw

Phone +90 (216) 528 50 00

E-Mail info@sick.com.tr

**United Arab Emirates** 

Phone +971 (0) 4 88 65 878

E-Mail info@sick.ae

USA/México

Phone +1(952) 941-6780

1 (800) 325-7425 - tollfree

E-Mail info@sickusa.com

More representatives and agencies

at www.sick.com

